



# **Weekly Crisis Capacity Indicator Snapshot**


* Weekly Clisis Capacity illulcator Shapshot
Crisis Data - dates 12/18/22 to 07/01/23
Crisis Data: Ages 0-17 - dates 12/18/22 to 07/01/23
All DCR Dispatches - dates 12/18/22 to 07/01/23
Weekly Staff Count - Staff providing Crisis or Investigaion services 12/18/22 to 07/01/23
Hospital placement locations (Invol and Vol) - No adjustment has been made for timely data - recent weeks likely low
Telehealth only, crisis and investigation services from 12/18/22 to 07/01/23
Crisis Service Unit Percent - Crisis Service units divided by Crisis units + Investigation units
Washington State Indicators of Anxiety or Depression Based on Reported Frequency of Symptoms During Last 7 Days
Place of Service -Crisis Services, percent of total by week
Place of Service -Investigations, percent of total by week
New COVID-19 Cases Reported Weekly per 100,000 population - 08/17/22 to 07/05/23
New COVID-19 Deaths Reported Weekly per 1,000,000 population - 08/17/22 to 07/05/23
Total Hospitalized Adults - COVID-19 (confirmed or supected) 7 day average
North Sound BH ASO Walkaway Chart 12/18/22 to 07/01/23


### Crisis Data - dates 12/18/22 to 07/01/23














2023 week 26 ending 01/00/00








## Washington State Indicators of Anxiety or Depression Based on Reported Frequency of Symptoms During Last 7 Days

The U.S. Census Bureau, in collaboration with five federal agencies, launched the Household Pulse Survey to produce data on the social and economic impacts of Covid-19 on American households. The Household Pulse Survey was designed to gauge the impact of the pandemic on employment status, consumer spending, food security, housing, education disruptions, and dimensions of physical and mental wellness.

https://data.cdc.gov/NCHS/Indicators-of-Anxiety-or-Depression-Based-on-Repor/8pt5-q6wp



% with Symptoms of Depressive Disorder value

% with Symptoms of Anxiety Disorder low conf. level % with Symptoms of Anxiety Disorder value • • • • • % with Symptoms of Anxiety Disorder high conf. level

#### Place of Service - Crisis Services, percent of total by week 100% 90% 80% 70% 60% 50% 40% 30% 20% 10% 0% k 52 k 53 k 01 k 02 k 03 k 04 k 05 k 06 k 07 k 08 k 09 k 10 k 11 k 12 k 13 k 14 k 15 k 16 k 17 k 18 k 19 k 20 k 21 k 22 k 23 k 24 k 25 k 26 ■ Psychiatric Facility-Partial Hospitalization ■ Custodial Care Facility ■ Skilled Nursing Facility ■ Nursing Facility ■ Community Mental Health Center Psych. Residential On Campus Outpatient Hospital ■ Group Home ■ Homeless Shelter ■ Telehealth ■ School ■ Inpatient Hospital ■ Inpatient Psychiatric Facility

6 6 8

8 7 17

31 28

25 | 39

92 | 116

15 | 12

12 | 17

40 42

27 | 38

10 21

129 101

103 | 115 | 139 | 167 | 138 | 129 | 132 | 159 | 122 | 147 | 167

8 16

32 | 29

16 46

22 | 21

36 18

52 | 44

101 112 110

14 | 13

18 9

32 | 36 | 34

30 | 37

12 | 13

18 | 15

25 24

29 | 32

10 10

12 | 17

141 122

39 25

110 | 127 | 145 | 116 | 148 | 149 | 120 | 120 | 118 | 120 | 120 | 111 | 120

9 11

12 | 17

28 | 32

30 28 20

131 112

9 14

8 11

40 31

96 100

15 | 20 | 11

19 | 13

26 | 25

39 28 30

93 98 87

■ Prison Correctional Facility

Emergency Room Hospital

■ Assisted Living Facility

Other Place of Service

■ Home

Office

#### Place of Service -Investigations, percent of total by week

